

|| Shree Ganeshay Namah ||



STRENGTH YOU CAN FEEL.
VALUES YOU CANT TRUST.



Mfg.
Of Glass & ARCHITECTURAL
Hardware Accessories

About Us

DOLBY came into existence in the year 2012 with a view to bring forth better styles, finishes and functionalities of locks, furniture fittings and many more products. It is with this vision we started manufacturing class apart Double Cylinder Hydraulic Floor Spring, Conceal Hydraulic Door Closer, D Shape Glass Door Handle, Bottom Patch For Glass Door, etc. These products are available in numerous dimensions, finishes, designs and materials, so that customers can invest in required items as per their need. Across the nation, our company is trusted for working as a quality conscious manufacturer and innovating better class of products from time to time.

Our Infrastructure

Our production units have all the necessary machines for designing, shaping, welding and finishing furniture accessories, door accessories and numerous other products. From production to quality control, warehousing and more, all the departments have been made for smooth flow of production.

Commitment To Quality

Customers trust in our company strengthens from time to time because we promise them for our quality all the time and maintain it excellently. We have a whole team to control quality of Bottom Patch For Glass Door, Conceal Hydraulic Door Closer, and all other products. This team works closely with production team by choosing right raw materials, conducting tests at different levels and inspecting the entire line post production.

Our Vision & Mission

In various sectors of the Indian market, our name is trusted for availing door accessories, furniture fittings and many more products. Being in the industry for almost a decade now, our company aims at expanding its presence in various regions while innovating better products to add convenience in living and making investment.

Why Choose Us?


DOLBY is worthy of customers trust because of the following reasons:

- We offer only investment worthy products**
- We maintain strictness while testing products**
- We maintain large network of supplying products**
- We maintain utmost transparency while dealing with buyers**


Patch Fitting




DB - 20 MRP.: ₹650
Top Patch




DB - 10 MRP.: ₹650
Bottom Patch




DB - 30 MRP.: ₹1700
Bottom Patch Lock with Strike Plate




DB - 40 MRP.: ₹1300
Top Patch L Type with Fin (Big L)



DB - 50 MRP.: ₹1000
Over Panel Side Panel Patch Connector (Small L)





DB - 60 MRP.: ₹1000
Wall Mounted Over Panel Patch with Pivot





Patch Fitting





DPF - 640 MRP.: ₹270
Wall to Glass Connecting Patch



DPF - 650 MRP.: ₹500
Glass to Glass Connecting Patch with Wall/Ceiling





DPF - 51 MRP.: ₹5500
Double Over Panel Patch with Fin



DPF - 61 MRP.: ₹300
XLC wall to glass connector




DPF - 610 MRP.: ₹1800
Over Panel Side Panel Patch Connector with Stopper



Cut Out Details



DPF - 62 MRP.: ₹145
Top Pivot for Patch Fittings Doors




Patch Fitting



DPF - 63 MRP.: ₹600
Top Pivot/Bottom Pivot
for Wooden/Aluminium Doors



DPF - 64 MRP.: ₹1600
Mini Floor Hinge



DPF - 65 MRP.: ₹300
Glass Door Stopper




Hydraulic Patch Fittings



DHP - 100 MRP.: ₹7500
Hydraulic Patch

Product Specification

- Suitable door weight : Max 100kg
- Suitable door width : 750~100mm
- Suitable door thickness : 8~13mm
- Ambient temperature : -20°C~+50°C
- Quick and easy installation












Adjustments



Max. opening angle: 150° for left and right opening (double action)
Hold open at 90°
Two speed adjustment
Closing Speed (150° ~ 10°)
Braking speed (10° ~ 0°)

Hydraulic Patch Installation Instruction

<p>Glass Cutout</p> 	<p>Drilling Hole</p> 	<p>Install Bottom Plate</p> 	<p>Put Patch on Plate</p> 
<p>Put Glass into Patch</p> 	<p>Install the Top Patch & Adjust the Door</p> 	<p>Adjust the Speed</p> 	<p>Install the Cover</p> 



Installations

- A. Draw lines and make floor spring pivot center and door-nip pivot coincide with each other.
- B. Drill holes on the floor according to the instructions. The sizes of the holes must tightly math the floor spring.
- C. Place the floor spring into the holes and positions it.
- D. Raise the door leaf installed with door-nip, and insert the floor spring pivot into the hole of the door leaf.
- E. Adjust the screws at three directions. Make them vertical and the upper and lower pivot center coincide with each other.
- F. Adjust the speed of door closing.
- G. Put the decoration cover in the floor spring.

Construction & Technical Details


• One unit for both single & double action door where surface mounted closer cannot be fitted.

• High grade cast iron mechanism body is housed within a galvanized steel loose box which is zinc protected & painted for corrosion resistance.

• Internal mechanism components utilizing heat treated high alloy steels & ball bearing for optimum efficiency.

• Suitable for timber, metal & tempered glass doors.

• Built in pressure relief valve protect the closer from rough use. Closer mechanism totally immerse in hydraulic fluid.




Floor Spring

TESTED TO
500000
CYCLES




DB - 8400
DOUBLE CYLINDER 120 KG CAPACITY
CMRP.: ₹4500
Black MRP.: ₹5200
Glod MRP.: ₹6500
Rose Gold MRP.: ₹6500



Specification

Over 5,00,000 Cycles tested.
General design, suitable for left or right hand to open the door in single and both side.
Universal machine cylinder
Closing force-25mm.
Maximum wide door left-1100mm..
Maximum door weight -120kgs
Speed covering control-tow stage adjustable speed.
Location-90' hold open



Specification


Over 5,00,000 Cycles tested.
General design, suitable for left or right hand to open the door in single and both side.
Universal machine cylinder.
Closing force-20mm.
Maximum wide door left -750 to 900mm.
Maximum door weight - 90kgs
Speed covering control-tow stage adjustable speed.
Location-90' hold open



DB - 6400
SINGLE CYLINDER 80 KG CAPACITY
MRP.: ₹2725
Black MRP.: ₹3300
Glod MRP.: ₹4400
Rose Gold MRP.: ₹4400




DB - 9400
HEAVY DUTY 150 KG CAPACITY
MRP.: ₹5200
Black MRP.: ₹5900
Glod MRP.: ₹6500
Rose Gold MRP.: ₹6500




Specification

Over 5,00,000 Cycles tested.
General design, suitable for left or right hand to open the door in single and both side.
Universal machine cylinder.
Closing force-25mm.
Maximum wide door left-1200mm.
Maximum door weight -150kgs
Speed covering control-tow stage adjustable speed.
Location-90' hold open


Glass Connectors




DGC - 01A 304ss MRP.: ₹157
U Connector (Single Hole) 202ss MRP.: ₹130




DGC - 01 304ss MRP.: ₹195
U Connector




DGC - 02 304ss MRP.: ₹450
Glass to Glass 135° 202ss MRP.: ₹350




DGC - 03 304ss MRP.: ₹350
Glass to Glass 90° 202ss MRP.: ₹275




DGC - 04 304ss MRP.: ₹157
L Connector 202ss MRP.: ₹120



DGC - 05 304ss MRP.: ₹350
202ss MRP.: ₹275
Glass to Glass 180°



DGC - 06 304ss MRP.: ₹275
202ss MRP.: ₹220
Wall to Glass 180°




304ss MRP.: ₹450
DGC - 07 202ss MRP.: ₹390
T-Connector Glass to Glass 90°



Glass Connectors




DGC - 11A MRP.: ₹500
U Connector (Single Hole)




DGC - 11 MRP.: ₹550
U Connector




DGC - 22 MRP.: ₹730
Glass to Glass 135°




DGC - 33 MRP.: ₹750
Glass to Glass 90°




DGC - 44 MRP.: ₹500
L Connector




DGC - 55 MRP.: ₹750
Glass to Glass 180°









DGC - 66 MRP.: ₹500
Wall to Glass 180°




DGC - 77 MRP.: ₹1000
T-Connector Glass to Glass 90°



Brass Shower Hinges




Plastic Profiles




DPS - 01 (Wall Seal)

8mm (2.2mtr.)
10mm (2.2mtr.) MRP.: ₹155
12mm (2.2mtr.) MRP.: ₹155




DPS - 02

10mm (2.2mtr.) MRP.: ₹155
12mm (2.2mtr.) MRP.: ₹155




DPS - 03 (Central 180° Weather Seal)

8mm (2.2mtr.)
10mm (2.2mtr.) MRP.: ₹155
12mm (2.2mtr.) MRP.: ₹155



DPS - 04 (Central 180° Weather Seal)

8mm (2.2mtr.)
10mm (2.2mtr.) MRP.: ₹155
12mm (2.2mtr.) MRP.: ₹155




DPS - 06 (Water Disperser Seal)

8mm (2.2mtr.)
10mm (2.2mtr.) MRP.: ₹155
12mm (2.2mtr.) MRP.: ₹155



Magnetic Profiles




DPS - M8 180° (Magnetic Seal for 180° Connection)

8mm (2.2mtr.) MRP.: ₹750
10mm (2.2mtr.)
12mm (2.2mtr.)



DPS - M5 135° (Magnetic Seal for 135° Connection)

8mm (2.2mtr.) MRP.: ₹950
10mm (2.2mtr.)
12mm (2.2mtr.)




DPS - M3 90° (Magnetic Seal for 90° Connection)

8mm (2.2mtr.) MRP.: ₹750
10mm (2.2mtr.)
12mm (2.2mtr.)


Shower Knight Head Accessories




DKH - 01 MRP.: ₹270
Wall to Rod (Dia 19mm)




DKH - 02 MRP.: ₹310
Rod to Glass (Dia 19mm)




DKH - 03 MRP.: ₹310
Rod to Glass (One Side Blind)



DKH - 04 MRP.: ₹550
Rod to Rod (Dia 19mm)



DKH - 05 MRP.: ₹650
Rod to Rod T Connector (Dia 19mm)




DKH - 06
Reinforcing Rod (Dia 19mm)

Ø19mm


Square Series Dia 25mm




DKH - 11 MRP.: ₹710
Wall to Rod (Dia 19mm)




DKH - 22 MRP.: ₹860
Rod to Glass (Dia 19mm)





DKH - 33 MRP.: ₹920
Rod to Glass (One Side Blind)



DKH - 44 MRP.: ₹1000
Rod to Rod (Dia 19mm)



DKH - 55 MRP.: ₹1150
Rod to Rod T Connector (Dia 19mm)



DKH - 66
Reinforcing Rod (Dia 19mm)

Ø25mm

Rectangle Series Dia 10x30mm



DKH - 111
Wall to Track Connector



DKH - 222
Glass to Track Connector



DKH - 333
90° Track Connector



DKH - 444
Track to Track Connector
with Glass Clamp



DKH - 555
Track Connector T-Type




DKH - 666
Shower Sliding Track


Glass Door Knobs




DDK - 01 MRP.: ₹1000
Glass Door Knobs



DDK - 02 MRP.: ₹1100
Glass Door Knobs




DDK - 03 MRP.: ₹1200
Glass Door Knobs



Conopy Fitting




DCF - 1
Wall to Glass Connector



- Specification**
- Finish : Satin stainless steel (SSS)
 - Suitable for canopies in interior & exterior
 - Stainless steel 304 grade
 - To fix glass with the wall
 - Adjustable angle
 - Washer to prevent glass from damage




DCF - 2
Rod to Glass Connector



- Specification**
- Finish : Satin stainless steel (SSS)
 - Suitable for holding canopy glass with rod along with wall to rod
 - Stainless steel 304 grade
 - To hold canopy glass with rod
 - Adjustable angle
 - Washer to prevent glass from damage



DCF - 4
Wall to Rod Connector



- Specification**
- Finish : Satin stainless steel (SSS)
 - Suitable for holding wall to rod with wall
 - Stainless steel 304 grade
 - To hold rod with the wall
 - Adjustable angle
 - Washer to prevent glass from damage



DCF-ROD (16mm)
Canopy Rod



Point Fixed Glass fittings



DPC - 1
Wall to Glass (Adjustable)
(Available in 60mm, 82mm & 103mm)




DPC - 2
Wall to Glass (Fix)
(Available in 60mm, 82mm & 103mm)



DPC - 3
Glass to Glass (Adjustable)
(Available in 60mm, 82mm & 103mm)




DPC - 4
Glass to Glass (Adjustable with Fin)
(Available in 60mm, 82mm & 103mm)



Shower Glass Sliding Fitting



DSL - 11A
Shower Sliding Roller



DSL - 11B
Wall to Glass Connector



DSL - 11C
Wall to Glass Connector with Stopper



DSL - 11D
Wall to Rod Holder (Dia 25mm)



DSL - 11E
Glass to Rod Holder



DSL - 11F
Floor Guide



DSL - 11G
Stopper



DSL - 11H
Rod to Rod Holder (Dia 25mm)



DSL - 11I
Stopper with Over Head Support



DSL - 11J
Stopper with Bumper



DSL - 11K
Shower Sliding Pipe



Shower Glass Sliding Fitting

Elite Shower Sliding System Glossy MRP.: ₹8500



DSL-11-A1
Roller

Specification

- Independent needle bearings
- Eccentrically mounted rollers
- Bottom glass fixing point adjustable
- Countersunk head for better grip and look
- Glass thickness 8 - 10mm
- Stainless Steel Grade 304
- Finish: SSS



DSL-11-A2
Track to Glass Holder

Specification


- Firm grip with glass & track
- Stainless Steel Grade 304
- Finish: SSS



DSL-11-A3
Stopper

Specification

- Stopper with bumper
- Easily Slides in the track and held with grub screw
- Stainless Steel Grade 304
- Finish: SSS



DSL-11-A4
Floor Guide

Specification

- Double Guide to hold Fixed and Moving Glass
- Controls movement of Sliding Glass
- Stainless Steel Grade 304
- Finish: SSS



DSL-11-A5
Wall to Track Connector

Specification

- For mounting with wall
- Rectangular design
- With two grub screws to prevent relative movement
- Material : Stainless Steel 304 Grade
- Finish: SSS



Ø 10mmx30mm

DSL-11-Track
Shower Sliding Track

Specification

- Rectangular design
- Available in 1.5 Mt, 1.8 Mt & 2.1 Mt. length
- Material : Stainless Steel 304 Grade
- Finish: SSS/PSS

Shower Sliding Set

DSL-11-A1


DSL-11-A1 (2 Big Rollers, 2 Small Rollers)

DSL-11-A2 (2 Track to Glass Holder)

DSL-11-A3 (2 Stopper)

DSL-11-A4 (1 Floor Guide)


DSL-11-A5 (2 Wall to Track Connector)




Sliding System Set




DSL-44-A1
MRP.: ₹1900
Small Coin Roller (S.S.)
Glass Sliding Roller Set - Weight Capacity 80Kg.
(Sliding Roller-2Pcs., Door Stopper-2Pcs.,
Floor Guide-1Pc.)




- Specification**
- Four fiber reinforced plastic rollers of 30 mm diameter
 - Stainless Steel Grade 304 glass holding point
 - Height adjustable glass holding points (10 mm)
 - Secure grip for the door
 - Self aligning suspension of door
 - Roller configuration for even distribution of load
 - Independently connected rollers to prevent damage to track and rollers
 - Suitable for 10 mm or 12 mm glass
 - Suitable for door weight 40 kg.




DSL-44-A2
MRP.: ₹2700
Big Coin Roller (S.S.)
Glass Sliding Roller Set - Weight Capacity 100Kg.
(Sliding Roller-2Pcs., Door Stopper-2Pcs.,
Floor Guide-1Pc.)




- Specification**
- Heavy duty sliding door roller
 - Suitable for up to a door weight of 80 Kg
 - Larger surface area for secure grip of the door
 - Adjustable threaded rod for installation perfection
 - Solid brass for glass holding




DSL-44-A3
MRP.: ₹2600
Small Coin Roller (S.S.)
Glass Sliding Roller Set - Weight Capacity 80Kg.
(Sliding Roller-2Pcs., Door Stopper-2Pcs.,
Floor Guide-1Pc.)





- Specification**
- Four fiber reinforced plastic rollers of 30 mm diameter
 - Stainless Steel Grade 304 glass holding point
 - Height adjustable glass holding points (10 mm)
 - Secure grip for the door
 - Self aligning suspension of door
 - Roller configuration for even distribution of load
 - Independently connected rollers to prevent damage to track and rollers
 - Suitable for 10 mm or 12 mm glass
 - Suitable for door weight 40 kg.



DSL-44-A4
MRP.: ₹3200
Big Coin Roller (S.S.)
Glass Sliding Roller Set - Weight Capacity 100Kg.
(Sliding Roller-2Pcs., Door Stopper-2Pcs.,
Floor Guide-1Pc.)



- Specification**
- Heavy duty sliding door roller
 - Suitable for up to a door weight of 80 Kg
 - Larger surface area for secure grip of the door
 - Adjustable threaded rod for installation perfection
 - Solid brass for glass holding





DSL-44-A3 MRP: ₹160
Stopper



DSL-44-A5 MRP: ₹250
Wall to Track Clamp



DSL-44-A6
Glass to Track Clamp



DSL-44-A8
90° Track Connector



DSL-NH-A50 MRP: ₹800
Sliding Handle



DSL-HN-60
Sliding Handle



DSL-FL-60 MRP: ₹1000
Sliding Handle (Full Hole)



DSL-HN-70 MRP: ₹1000
Sliding Handle (Square)



DSL-HN-80 MRP: ₹1150
Sliding Handle (Rectangle)



DSL-HN-90 MRP: ₹1300
Sliding Handle (Rectangle)



DSL-44G MRP: ₹450
Floor Guide



DSL-13A+13C
Sliding Door Lock with Strike Plate



DSDL-13A
Sliding Door Lock



DSDL-13B
Strike Box



DSDL-13D
Strike Box For Over Lap Glass



DSL-44-B1 Per Feer MRP: ₹400
Aluminium Track (Single)
Available in 8,10,13 & 16 Ft



DSL-44-B2 Per Feer MRP: ₹460
Aluminium Track (Double Door)
Available in 8,10,13 & 16 Ft.



DSL-44-B3 Per Feer MRP: ₹610
Aluminium Track (Door+Fix Glass)
Available in 8,10,13 & 16 Ft.




DSL-44-A9
Wall to Track Connector




Spider Fittings




DSP - 201 MRP.: ₹1250
One Way Spider without Fin




DSP - 202 (90°) MRP.: ₹2350
Two Way Spider 90° without Fin




DSP - 203 (180°) MRP.: ₹1850
Two Way Spider 180° without Fin




DSP - 204 MRP.: ₹3300
Three Way Spider without Fin




DSP - 205 MRP.: ₹4000
Four Way Spider without Fin




DSP - 206 (90°) MRP.: ₹5100
Four Way Spider without Fin (90°)




Spider Fittings




DSP - 301 MRP.: ₹4900
Four Way Spider




DSP - 302 MRP.: ₹2500
Two Way Spider (Wall Mounted)




DSP - 303 MRP.: ₹3300
Two Way Spider




DSH - 304 MRP.: ₹1750
One Way Spider (Wall Mounted)




DSP - 305 MRP.: ₹3000
Two Way Spider



DSP - 306 MRP.: ₹2200
Two Way Spider




DSP - 307 MRP.: ₹2200
Two Way Spider




DSP - A308 MRP.: ₹2000
Two Way Spider

Fin Plates And Splice Plates

Fin Plates




DSP - 100
Fin Plate (100mm)



Specification

- Two point holding of fin
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage


DSP - 200
Fin Plate (200mm)
MRP.: ₹4900



Specification

- Three point holding of fin
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage


DSP - 300
Fin Plate (300mm)
MRP.: ₹6800



Specification

- Three point holding of fin
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage



DSH - 400
Fin Plate (400mm)
MRP.: ₹8550



Specification

- Three point holding of fin
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage

Splice Plates




DSP - 250
Splice Plate (250mm)
MRP.: ₹6800

Specification

- Three point holding with each fin part
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage


DSP - 300
Splice Plate (300mm)
MRP.: ₹7700



Specification

- Three point holding with each fin part
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage

DSP - 350
Splice Plate (350mm)
MRP.: ₹8800



Specification

- Three point holding with each fin part
- Finish : Satin Stainless Steel (SSS)
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage


Routels



DAR - 01
Articulated Routel
MRP.: ₹1300

Specification


- Articulated flat head Routel to be used along with spiders to hold glass
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage
- Adjustable upto 15mm glass thickness



DFR - 02
40mm Fixed Routel (Flat Head)
MRP.: ₹1000

Specification


- Fixed flat head routel to be used along with spiders to hold glass
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage
- Adjustable to glass thickness
- Smaller in sizes



DFR - 03
50mm Fixed Routel (Flat Head)
MRP.: ₹1100

Specification



- Fixed flat head routel to be used along with spiders to hold glass
- Material : Stainless Steel 304 Grade
- With teflon washers to prevent glass from damage
- Adjustable to glass thickness
- Smaller in sizes



DRS - 04
Routel Stud
MRP.: ₹1200

Specification

- Fixing bolt helps to hold without fin spiders with fix structure
- Material : Stainless Steel 304 Grade
- Adjustable height for accurate fixing of pider with flat head



Locks Without Cutout



Specification

- Finish : Satin stainless steel and Black Matt
- One side key-Lock from outside only
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to glass

DLK - 3
MRP: ₹1150
Double Door Lock (Key & Knob)
Finish : Matt



Specification

- Finish : Satin stainless steel and Black Matt
- One side key-Lock from outside only
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to wall/fix structure

DLK - 4
MRP: ₹1000
Single Door Lock (Key & Knob)
Finish : Matt



Specification

- Material : Stainless steel 304
- Finish : Satin stainless steel and Black Matt
- One knob only
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to glass

DLK - 13
MRP: ₹1300
Double Door Lock (Only Knob)
Finish : Matt



Specification

- Finish : Satin stainless steel and Black Matt
- One side knob only
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to wall/fix structure

DLK - 14
MRP: ₹1150
Single Door Lock (Only Knob)
Finish : Matt



on

Satin stainless steel and Black Matt
key/one side knob

- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to glass

DLK - 15
MRP: ₹1300
Double Door Lock (Key & Knob)
Finish : Matt



Specification

- Finish : Satin stainless steel and Black Matt
- One side key/one side knob
- Suitable for 10/12mm Glass
- Glass preparation/cutout not required
- With gasket to prevent glass from damage
- With three bass computer key
- Suitable for glass to wall/fix structure

DLK - 16
MRP: ₹1150
Single Door Lock (Key & Knob)
Finish : Matt



Glass Door Pull Handles

DGH - 1 Glass Door Handle 'H' Type

- Specification**
- Finish : Satin + Polish stainless steel / Full Satin
 - Material : Stainless steel
 - For back to back installation
 - With gasket to prevent glass from damage
 - With grub screw to give neat look
 - All sizes in mm

Size Dia (mm)	Width to Wall (mm)	SS 202 Price Per Set		SS 304 Price Per Set	
		Satin Finish	Combi Finish	Satin Finish	Combi Finish
22	200	580/-	610/-	880/-	920/-
22	250	650/-	690/-	950/-	990/-
22	300	720/-	770/-	1020/-	1060/-
22	350	790/-	850/-	1090/-	1140/-
22	400	860/-	930/-	1160/-	1200/-
22	450	930/-	1010/-	1230/-	1280/-
22	600	1130/-	1310/-	1500/-	1600/-
25	200	660/-	690/-	1050/-	1090/-
25	250	760/-	800/-	1120/-	1160/-
25	300	860/-	900/-	1200/-	1240/-
25	350	960/-	1010/-	1280/-	1330/-
25	400	1060/-	1110/-	1360/-	1410/-
25	450	1160/-	1210/-	1440/-	1450/-
25	500	915/-	955/-	1520/-	1570/-
25	550	980/-	1020/-	1600/-	1650/-
25	600	1460/-	1510/-	1680/-	1730/-
25	900	2000/-	2100/-	2900/-	3000/-
25	1200	2300/-	2400/-	3600/-	3700/-
32	300	850/-	900/-	1600/-	1650/-
32	350	950/-	1000/-	1750/-	1800/-
32	400	1050/-	1100/-	1900/-	1950/-
32	450	1850/-	1950/-	2200/-	2300/-
32	600	2500/-	2650/-	2800/-	2900/-
32	750	2100/-	2200/-	3200/-	3300/-
32	900	3800/-	4050/-	4000/-	4100/-
32	1200	5100/-	5450/-	5200/-	5300/-
32	1500	6400/-	6850/-	6400/-	6500/-
32	1800	9000/-	9650/-	7600/-	7700/-



DGH - 2 Glass Door Handle 'D' Type

- Specification**
- Finish : Satin + Polish stainless steel / Full Satin
 - Material : Stainless steel
 - For back to back installation
 - With gasket to prevent glass from damage
 - With grub screw to give neat look
 - All sizes in mm

Size Dia (mm)	Width to Wall (mm)	SS 202 Price Per Set		SS 304 Price Per Set	
		Satin Finish	Glossy Finish	Satin Finish	Glossy Finish
19	150	350/-	370/-	520/-	560/-
19	200	390/-	410/-	580/-	620/-
19	250	430/-	450/-	640/-	680/-
19	300	470/-	490/-	700/-	740/-
22	150	360/-	390/-	540/-	580/-
22	200	410/-	440/-	600/-	640/-
22	250	460/-	490/-	660/-	700/-
22	300	850/-	540/-	720/-	780/-
22	350	900/-	590/-	780/-	820/-
22	400	950/-	640/-	840/-	880/-
22	450	1000/-	690/-	900/-	940/-
22	600	1500/-	870/-	1150/-	1250/-
25	200	510/-	540/-	700/-	750/-
25	250	560/-	590/-	780/-	830/-
25	300	950/-	640/-	860/-	910/-
25	350	1000/-	690/-	940/-	990/-
25	400	1050/-	740/-	1020/-	1070/-
25	450	1100/-	810/-	1100/-	1150/-
25	500	1150/-	860/-	1180/-	1230/-
25	550	1200/-	910/-	1260/-	1310/-
25	600	1250/-	1000/-	1340/-	1390/-



DGH - 3 Glass Door Handle 'S' Type

- Specification**
- Finish : Satin + Polish stainless steel / Full Satin
 - Material : Stainless steel
 - For back to back installation
 - With gasket to prevent glass from damage
 - With grub screw to give neat look
 - All sizes in mm

SIZES Dia/Length
22x200
22x250
22x300



Glass Door Pull Handles


DGH - 4

Glass Door Handle 'HP' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
25x25x200	
25x25x250	
25x25x300	
25x25x450	
25x25x600	



DGH - 5

Glass Door Handle 'Q' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
22x200	
22x250	
22x300	
22x450	
22x600	



DGH - 6

Glass Door Handle 'L' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
22x200	
22x250	
22x300	
25x250	
25x300	
25x350	
25x400	
25x450	
25x600	
32x450	
32x600	
32x750	
32x900	
31x1200	



DGH - 7

Glass Door Handle 'H+' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
10x25x200	
10x25x250	
10x25x300	
10x25x350	
10x25x400	
10x25x450	
10x25x600	
10x40x250	
10x40x300	
10x40x350	
10x40x400	
10x40x450	
10x40x500	
10x40x550	
10x40x600	
10x40x650	
10x40x700	
10x40x750	



Glass Door Pull Handles

DGH - 08 Glass Door Handle 'PSD' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
20x20x200	
20x20x250	
20x20x300	
20x20x350	
20x20x400	
20x20x450	
25x25x250	
25x25x300	
25x25x350	
25x25x400	
25x25x450	
25x25x600	



DGH - 09 Glass Door Handle 'C' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
22x300	
22x350	
25x300	
25x350	



DGH - 10 Glass Door Handle 'B' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
22x250	
22x300	
25x250	
25x300	




DGH - 08 Glass Door Handle 'PSD' Type

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
10x40x250	
10x40x300	
10x40x350	
10x40x400	
10x40x450	
10x40x500	
10x40x550	
10x40x600	
10x40x650	
10x40x700	
10x40x750	
10x40x800	
10x40x850	
10x40x900	
10x40x1200	



DGH - 11 MRP: ₹9500

Grabe Bar

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

SIZES	
Dia/Length	
22x22x200	
22x22x250	
22x22x300	
22x22x350	
22x22x400	
22x22x450	
22x22x500	
22x22x550	
22x22x600	



Glass Door Pull Handles



DGH - 14
35x1500 MRP: ₹12,500



DGH - 15
25x1340

Shower Glass Door Handles



DGH - 12
Shower Handle

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

Size Dia (Mm)	Wall To Wall Length (Mm)	SS 202 Price Per Ser		SS 304 Price Per Set	
		Satin Finish	Glossy Finish	Satin Finish	Glossy Finish
19	150x 400	800/-	940/-	1040/-	1180/-
19	150x 450	900/-	1000/-	1100/-	1250/-
19	152 x 460	900/-	1040/-	1140/-	1280/-
19	200 x 400	950/-	1100/-	1200/-	1400/-
19	200 x 450	1000/-	1150/-	1250/-	1450/-
22	150 x 400	1050/-	1200/-	1200/-	1440/-
22	150 x 450	1150/-	1350/-	1200/-	1400/-
22	200 x 400	1125/-	1365/-	1350/-	1450/-
22	200 x 450	1225/-	1465/-	1300/-	1440/-

DGH - 13
Shower Handle

Specification

- Finish : Satin + Polish stainless steel / Full Satin
- Material : Stainless steel
- For back to back installation
- With gasket to prevent glass from damage
- With grub screw to give neat look
- All sizes in mm

Size Dia (Mm)	Wall To Wall Length (Mm)	SS 202 Price Per Ser		SS 304 Price Per Set	
		Satin Finish	Glossy Finish	Satin Finish	Glossy Finish
20	150x400	1250/-	1450/-	1350/-	1450/-
20	150x450	1200/-	1400/-	1400/-	1500/-
20	200x400	1300/-	1500/-	1550/-	1750/-
20	200x450	1350/-	1550/-	1600/-	1800/-



Glass Railing Accessories



DGR - 01
Spigot

Specification
• Size : 40x10
• Height : 6"
• Flat base plate



DGR - 02
Spigot

Specification
• Size : 40x40 (Sq. Pipe)
• Height : 12"



DGR - 03
Spigot

Specification
• Size : 25x25 Sq. Pipe
• Height : 9"



DGR - 04
Spigot

Specification
• Size : 40x12
• Height : 12"
• Flat base plate



DGR - 05
Spigot

Specification
• Size : 25x25 Sq. Bar
• Height : 9"



DGR - 06
Spigot

Specification
• Size : 40x12
• Height : 12"
• Flat base plate



DGR - 07
Spigot

Specification
• Size : 40x12
• Height : 12"
• Flat base plate



DGR - 08
Spigot

Specification
• Size : 40x12
• Height : 10"
• Flat base plate



Brass-L. Bet

Size
3/4"-FANCY
Medium



Brass W/G Hinges

Size
1"
1 1/2"



**Brass +
S.S. Mirror Bracket**

Size
Half 5 mm
Half 6 mm
Full 6 mm



Brass W-G

Size
W/G Hinges



**MS Double
Slot Channel**

Size
4 feet
6 feet
8 feet



**S.S. Bracket
8 mm Road**

Size
4" 8mm + 12mm
6" 8mm + 12mm
8" 8mm + 12mm
10" 8mm + 12mm
12" 8mm + 12mm



Brass-D. Bracket

Size
2" x 6 mm
2" x 8 mm
2" x 10 mm
2" x 12 mm



Brass Push Magnet

Size
Heavy
Medium



**Brass-Cut
Folding Bracket**

Size
2" x 8 mm
2" x 12 mm



Brass G-G

Size
Glass to Glass



**MS Double
Slot Channel**

Size
9"
11"
13"
15"



**S.S. Bracket
10 mm Road**

Size
4" 8mm + 12mm
6" 8mm + 12mm
8" 8mm + 12mm
10" 8mm + 12mm
12" 8mm + 12mm

DOLBY®

Hardware Collection

स्वच्छ
भारत
एक कदम स्वच्छता की ओर

MADE IN INDIA

Manufacturer Of Architecturer Fittings Products

- ▶ Glass Sliding Door Handles
- ▶ Hydraulic Floor Spring
- ▶ Glass Connector
- ▶ Shower Glass Door Headless
- ▶ Europrofile Cylinders
- ▶ Shower Headers
- ▶ Patch Fitting
- ▶ Spider Fitting
- ▶ Floor Spring
- ▶ Handels
- ▶ Glass Hinges
- ▶ Door Closer
- ▶ Hinges

 www.dolbyhardware.com

 panthcorporation@gmail.com

IMPORTED & MARKETED IN INDIA : DOLBY HARDWARE